

الاتحاد الأوروبي

السجائر والذي تحول في عام ٢٠٠١ إلى قانون. وبعد أدنى، يجب أن توجد تحذيرات نصية على عبوات التبغ؛ فاستخدام الملصقات التحذيرية اختياري. وقد قامت المفوضية الأوروبية بإنتاج ملصقات تحذيرية تصويرية ونصية والتي قد يختار الدول الأعضاء استخدامها..

تاريخ التنفيذ والجولات الإضافية

٢٠٠٤

الجدول الزمني للتناوب وتاريخه

هناك مجموعات اختيارية تضم ٢٤ حذير تصويري. التكرار الموصى به للتناوب غير محدد.

غلاف العبوة

يتعين على الدول الأعضاء في الاتحاد الأوروبي عرض تحذيرات نصية طبقاً للمعايير أدناه:

القيود المفروضة على المعلومات المضللة

يحظر ظهور الأوصاف المضللة مثل "خفيف" و"هادئ" على العبوات.

ملاحظات خاصة


لقد اعتمدت العديد من الدول غير الأعضاء في الاتحاد الأوروبي أيضاً على صور الملصقات التحذيرية الخاصة بالاتحاد الأوروبي لاستخدامها على العبوات الخاصة بهم.

الحد الأدنى من المتطلبات

بحدود			بدون حدود			
الواجهة الخلفية	الواجهة الأمامية	الإجمالي	الواجهة الخلفية	الواجهة الأمامية	الإجمالي	
٪٥٣	٪٤٣	٪٤٨	٪٤٠	٪٣٠	٪٣٥	البلاد أحادية اللغة
٪٥٨	٪٤٥	٪٥٢	٪٤٥	٪٣٢	٪٣٩	البلاد ثنائية اللغة
٪٦٣	٪٤٨	٪٥٦	٪٥٠	٪٣٥	٪٤٣	البلاد ثلاثية اللغة

٢٠٠٤

تحذيرات



Tobacco Labelling Resource Centre: European Union. Waterloo, Ontario: Department of Health, University of Waterloo; 2010 [cited 2011 April 6]; Available from: <http://www.tobaccolabels.ca/healthwarningimages/country/europeanunion>.

تحذيرات

٢٠٠٤



Smoking can damage the sperm and decrease fertility



Smoking can damage the sperm and decrease fertility



Smoke contains benzene, nitrosamines, formaldehyde and hydrogen cyanide

The risk of having a stroke is approximately 50% higher in smokers than in non-smokers

Smoking clogs the arteries and causes heart attacks and strokes



Smoking when pregnant harms your baby



Smokers die younger



Smoking can cause a slow and painful death



Get help to stop smoking: 0803 00 00 00



Smoking causes fatal lung cancer



Smoking causes fatal lung cancer



Smoking causes fatal lung cancer

Stopping smoking reduces the risk of fatal heart and lung diseases




Smoking may reduce the blood flow and causes impotence



Smoking may reduce the blood flow and causes impotence



Smoking may reduce the blood flow and causes impotence



Smoking when pregnant harms your baby

You can do it, we can help

Your doctor or your pharmacist can help you stop smoking



Smoking causes ageing of the skin



Stopping smoking reduces the risk of fatal heart and lung diseases



Smoking causes ageing of the skin

Lifetime smokers lose an average of 14 years of life

Smokers die younger



Smokers die younger

0803 00 00 00

Choose freedom, we'll help you

Get help to stop smoking

Smoking is a serious nicotine addiction, don't be afraid to ask for help

Your doctor or your pharmacist can help you stop smoking

٢٠٠٤

تحذيرات

